

2020

PRODUCT GUIDE

SHEERVUEW

HORIZONTAL SHEER SHADE



CONGRATULATIONS ON BECOMING A SHEERVIEW SHADE DEALER

TABLE OF CONTENTS

SHEERVIEW SHADE FEATURES	1
COLORS CURRENTLY AVAILABLE	2
HEADRAIL AND BOTTOM-RAIL DETAILS	3
MOTORIZED WAND / REMOTE CONTROL	4
CHILD SAFETY INFORMATION	5
LIGHT FILTERING	6
ROOM DARKENING	9
PRODUCT SPECIFICATIONS AND OPERATION	10
MEASURING	11
THE IMPORTANCE OF ORDERING CORRECTLY FROM THE MANUFACTURER	13
MANUFACTURES TERMS AND CONDITIONS	14
WARRANTY	15
ORDER FORM	16

SHEERVIEW SHADE FEATURES



- A window shading of unique beauty and performance for the finishing touch to your window and room.
- Horizontal fabric vanes float between two layers of soft, knitted sheers to enlighten your view.
- New vane fabrics feature a softer look for your windows.
- Available in widths up to 108" (Textile Fabric) and 116" (Non-Woven Fabric), and drops to lengths of 144" to provide visual elegance to the widest of windows.
- Vanes glide from open to closed to the out of sight position with elegant hardware.
- The Sheerview continuous cord-loop system provides distinctly different variations of vane positions for numerous combinations of privacy, view and light control.
- An adjustable weight system hidden in the bottom-rail allows for the proper on-the-spot adjustment for a balanced appearance in the window.
- Color coordinated headrail styles offer you a sophisticated look.
- All Inside Mounted (IB) Shades will have a light gap on the left and right side. The side with the installed Clutch and Cord-Loop will have a slightly larger light gap.
- Easy to install hardware and brackets allows for effortless installations and easy removal for cleaning.
- Sheerview Shades can be ultrasonically or traditionally cleaned to stay bright and beautiful.
- Limited Lifetime Warranty as a commitment to your satisfaction.

COLORS CURRENTLY AVAILABLE *SOLID AND PRINTED TONES*

50mm = 2" VANES | 65mm = 2.5" VANES | 70mm = 3" VANES

D = ROOM DARKENING VANE - COLOR SUFFIX
KN = WOVEN SHEER VANE (✱)



BRIGHT WHITE
 S50PN100 / S70PN100
 S50PN100D / S70PN100D



ALABASTER
 S50PN112 / S70PN112



BEIGE
 S50KN322* / S70KN322*
 S50PN322 / S70PN322
 S50PN322D / S70PN322D



WINTER WHITE
 S50KN113* / S70KN113*
 S50PN113 / S70PN113




BLOSSOM
 S50KN206* / S70KN206*
 S50PN206 / S70PN206



CORNSILK
 S50PN414D / S70PN414D



BISCUIT
 S50PN145D / S70PN145D



LINEN
 S50KN125* / S70KN125*
 S50PN125D / S70PN125D



GRANITE
 S50KN823* / S70KN823*
 S50PN823 / S70PN823
 S50PN823D / S70PN823D



JAVA
 S50KN378* / S70KN378*
 S50PN378 / S70PN378
 S50PN378D / S70PN378D



HEATHER
 S65BN311



BLOSSOM
 S65BN206



BEIGE
 S65BN322



BLUSH
 S65BN312



GRANITE
 S65BN823



WATERFALL
 S65BN627

HEADRAIL AND BOTTOM-RAIL DETAILS

Shade comes standard with the headrail wrapped in a color matching material, unless otherwise specified.

Fabric Covered Headrail

Cord-Loop Tensioner

The continuous cord-loop enables ease of use of the Sheerview Shade. The Window Covering Safety Council (WCSC) suggests that the Cord Tensioner device be permanently anchored to the window jamb, wall or floor.

Registered Trademark (®)

Cord-Loop Tensioner

Brackets

Easy to install One Clip Brackets, come with shims to even the shade if the window jamb is uneven.

Stoppers

PATENT PENDING

Prevents the bottom-rail from looping up into the headrail when raised up, or with motorization.



Bottom-Rail

PATENT PENDING

Bottom-Rail features an improved design that enables you to experience less light gap when the Sheerview Shade is in the lowered/closed position.



Adjustable counter weight keeps sheer shade level.

MOTORIZED WAND / REMOTE CONTROL



TECHNOLOGY THAT ENHANCES THE LIVING SPACE


RECHARGEABLE MOTORIZED / CONTROL WAND

- Easy Installation with no Hard Wiring
- Long Lasting Lithium Ion Battery
- Simple UP/DOWN/STOP Control Buttons
- Micro USB for Charging the Battery

WANDS	MSRP COST
Replacement Wand	\$83
CHARGING BRICK / USB CABLE	
Charging Brick	\$14
Micro USB Cable - 6'	\$17



MSRP Surcharge \$325



REMOTE CONTROL - OPTIONAL

- Radio Remote
- Control your Product with a Single Channel or Multi-Channel Remote from up to 100 Feet *up to 20 shades per channel.*
- Remote Attaches to the Backplate Via Magnets, Just Attach the Backplate in a Convenient Place
- No Pull Cords Mean This is the Best Product for Child and Pet Safety
- Modern and Sleek Design Fits All Types of Decor

REMOTE	MSRP COST
Single Channel	\$67
Multi-Channel	\$167

CHILD SAFETY INFORMATION

The Manufacturer Is Committed to Child Safety regarding Window Coverings.

The Manufacturer has committed to join the Window Covering Manufacturers Association's new safety standards in the efforts to prevent accidents involving children and pets involving accessible cords and by offering other product options that are child-safe custom window coverings.

"Best For Kids" Certified Program

Window Covering Manufacturers Association (WCMA) announced the industry's first third-party certification program designed to help consumers and retailers identify window covering products that are best suited for use in homes with young children.

To be part of the new Best for Kids program, products are submitted to a WCMA-recognized third party testing laboratory where the products are required to and must meet stringent criteria. Once the products meet these criteria, they are "Certified Best For Kids". The Manufacturer has a number of products "Certified Best For Kids".



Child Safety Is Serious Business.

That's why the window coverings industry uses warning tags, warning labels, and other methods to communicate the potential hazards of corded window coverings. The warning label shown below, for example, communicates the important message about cords being a potential strangulation hazard and suggests choosing cordless alternatives or products with inaccessible cords. Blinds and shades that are improperly installed or out of safety compliance can pose a potential strangulation hazard to young children. According to the U.S. Consumer Product Safety Commission, corded window coverings are among the top hidden hazards in American homes.

The Manufacturer Is Committed to Child Safety regarding Window Coverings.



WARNING
ADVERTENCIA



Window Blind Cord Can STRANGLE Your Child.

Keep cords out of children's reach. Shorten cords to prevent reach.
Move crib and furniture away - Children can climb furniture to reach cords.

La cuerda de la persiana puede ESTRANGULAR a su niño.

Mantenga las cuerdas fuera del alcance de los niños. Acorte las cuerdas para evitar el alcance.
Mueva la cuna y los muebles - Los niños pueden subir los muebles para alcanzar las cuerdas.

To learn more about the Window Covering Safety Council's efforts to protect children from potential cord hazards, visit their site at <https://windowcoverings.org>.

LIGHT FILTERING

SUGGESTED RETAIL PRICE

NOTE: Cord lengths are based on standards. You have the option of choosing a longer cord.

2" Sheer Shade - WOVEN SOLID									Smallest width available 7.5" exact a manual shade Smallest width available 24" exact for Motorized E-Series shade						
	Height Up To	Width Up To													Loop Cord Length
		24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
	36"	410	457	504	550	599	647	692	742	859	958	1053	1158	1332	14.4"
	42"	429	480	530	585	634	690	742	794	912	1019	1124	1236	1421	14.4"
	48"	455	504	562	616	674	731	793	851	972	1083	1199	1320	1517	19.2"
	54"	469	529	589	652	715	777	841	908	1030	1149	1279	1407	1618	19.2"
	60"	489	557	621	686	750	820	891	962	1079	1220	1361	1497	1721	19.2"
	66"	508	580	651	720	794	867	947	1021	1139	1295	1447	1592	1831	19.2"
	72"	530	606	680	755	835	917	1001	1079	1199	1363	1528	1681	1933	24"
	78"	542	625	706	785	868	957	1042	1130	1254	1430	1601	1762	2025	24"
	84"	566	651	732	824	914	1004	1101	1190	1318	1507	1687	1855	2134	24"
	90"	588	674	763	860	954	1056	1150	1248	1379	1578	1771	1949	2241	24"
	96"	608	704	796	896	1001	1101	1204	1304	1443	1651	1853	2039	2345	28.8"
	102"	690	794	899	1010	1114	1214	1349	1482	1581	1791	1995	2196	2524	28.8"
	108"	725	833	943	1062	1168	1275	1418	1555	1660	1882	2099	2309	2655	28.8"
	114"	768	882	999	1124	1244	1356	1504	1651	1762	1995	2226	2449	2815	33.6"
	120"	820	941	1071	1201	1323	1447	1605	1762	1883	2135	2378	2617	3008	48"
	132"	943	1083	1232	1382	1521	1664	1846	2027	2165	2455	2735	3008	3460	52.8"
▼	144"	1085	1244	1416	1589	1749	1914	2122	2330	2491	2823	3145	3460	3980	57.6"

3" Sheer Shade - WOVEN SOLID										Smallest width available 7.5" exact a manual shade Smallest width available 24" exact for Motorized E-Series shade					
	Height Up To	Width Up To													Loop Cord Length
		24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
	36"	462	512	567	618	673	728	779	835	966	1076	1184	1303	1498	14.4"
	42"	482	541	596	657	714	776	835	893	1028	1147	1264	1391	1599	14.4"
	48"	511	568	632	693	758	823	891	957	1094	1218	1348	1484	1705	19.2"
	54"	528	595	663	734	803	873	946	1022	1158	1292	1440	1583	1822	19.2"
	60"	550	627	697	771	842	922	1003	1082	1214	1372	1531	1685	1937	19.2"
	66"	571	652	733	812	893	977	1067	1149	1281	1455	1628	1791	2059	19.2"
	72"	596	681	764	849	940	1032	1125	1214	1348	1534	1719	1890	2174	24"
	78"	609	705	794	882	978	1076	1173	1271	1410	1610	1802	1982	2279	24"
	84"	637	733	823	927	1028	1129	1238	1339	1482	1695	1898	2088	2401	24"
	90"	662	758	859	968	1075	1189	1294	1405	1552	1776	1992	2191	2520	24"
	96"	684	791	896	1008	1125	1239	1356	1468	1623	1857	2086	2295	2639	28.8"
	102"	776	894	1011	1137	1254	1365	1518	1666	1778	2015	2244	2469	2839	28.8"
	108"	815	938	1061	1194	1314	1435	1595	1749	1868	2118	2360	2597	2986	28.8"
	114"	863	993	1124	1264	1399	1524	1692	1855	1981	2244	2503	2754	3167	33.6"
	120"	923	1057	1203	1352	1488	1628	1806	1981	2118	2401	2675	2943	3385	48"
	132"	1061	1216	1384	1555	1712	1872	2077	2279	2435	2762	3077	3384	3892	52.8"
↓	144"	1220	1399	1592	1788	1968	2153	2389	2621	2800	3175	3539	3891	4477	57.6"

Light Filtering

SOLID TONE

- Winter White
- Linen
- Granite
- Beige
- Blossom
- Java

NOTES

Smallest width available 7.5" exact for a manual Sheer Shade. Smallest width available 24" exact for Motorized E-Series Sheer Shade. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades greater than 96" incur an additional 94.00 charge per box for each order.

LIGHT FILTERING

SUGGESTED RETAIL PRICE

NOTE: Cord lengths are based on standards. You have the option of choosing a longer cord.

2" Sheer Shade - NON WOVEN | SOLID

Smallest width available 7.5" exact a manual shade
Smallest width available 24" exact for Motorized E-Series shade

Light Filtering

SOLID TONE

Winter White
Linen
Granite
Beige
Blossom
Java

Height Up To	Width Up To														Loop Cord Length
	24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"		
36"	390	435	480	524	570	616	659	707	818	912	1003	1103	1269	14.4"	
42"	409	457	505	557	604	657	707	756	869	970	1070	1177	1353	14.4"	
48"	433	480	535	587	642	696	755	810	926	1031	1142	1257	1445	19.2"	
54"	447	504	561	621	681	740	801	865	981	1094	1218	1340	1541	19.2"	
60"	466	530	591	653	714	781	849	916	1028	1162	1296	1426	1639	19.2"	
66"	484	552	620	686	756	826	902	972	1085	1233	1378	1516	1744	19.2"	
72"	505	577	648	719	795	873	953	1028	1142	1298	1455	1601	1841	24"	
78"	516	595	672	748	827	911	992	1076	1194	1362	1525	1678	1929	24"	
84"	539	620	697	785	870	956	1049	1133	1255	1435	1607	1767	2032	24"	
90"	560	642	727	819	909	1006	1095	1189	1313	1503	1687	1856	2134	24"	
96"	579	670	758	853	953	1049	1147	1242	1374	1572	1765	1942	2233	28.8"	
102"	657	756	856	962	1061	1156	1285	1411	1506	1706	1900	2091	2404	28.8"	
108"	690	793	898	1011	1112	1214	1350	1481	1581	1792	1999	2199	2529	28.8"	
114"	731	840	951	1070	1185	1291	1432	1572	1678	1900	2120	2332	2681	33.6"	
120"	781	896	1020	1144	1260	1378	1529	1678	1793	2033	2265	2492	2865	48"	
132"	898	1031	1173	1316	1449	1585	1758	1930	2062	2338	2605	2865	3295	52.8"	
144"	1033	1185	1349	1513	1666	1823	2021	2219	2372	2689	2995	3295	3790	57.6"	

3" Sheer Shade - NON WOVEN | SOLID

Smallest width available 7.5" exact a manual shade
Smallest width available 24" exact for Motorized E-Series shade

Height Up To	Width Up To													Loop Cord Length
	24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
36"	440	488	540	589	641	693	742	795	920	1025	1128	1241	1427	14.4"
42"	459	515	568	626	680	739	795	850	979	1092	1204	1325	1523	14.4"
48"	487	541	602	660	722	784	849	911	1042	1160	1284	1413	1624	19.2"
54"	503	567	631	699	765	831	901	973	1103	1230	1371	1508	1735	19.2"
60"	524	597	664	734	802	878	955	1030	1156	1307	1458	1605	1845	19.2"
66"	544	621	698	773	850	930	1016	1094	1220	1386	1550	1706	1961	19.2"
72"	568	649	728	809	895	983	1071	1156	1284	1461	1637	1800	2070	24"
78"	580	671	756	840	931	1025	1117	1210	1343	1533	1716	1888	2170	24"
84"	607	698	784	883	979	1075	1179	1275	1411	1614	1808	1989	2287	24"
90"	630	722	818	922	1024	1132	1232	1338	1478	1691	1897	2087	2400	24"
96"	651	753	853	960	1071	1180	1291	1398	1546	1769	1987	2186	2513	28.8"
102"	739	851	963	1083	1194	1300	1446	1587	1693	1919	2137	2351	2704	28.8"
108"	776	893	1010	1137	1251	1367	1519	1666	1779	2017	2248	2473	2844	28.8"
114"	822	946	1070	1204	1332	1451	1611	1767	1887	2137	2384	2623	3016	33.6"
120"	879	1007	1146	1288	1417	1550	1720	1887	2017	2287	2548	2803	3224	48"
132"	1010	1158	1318	1481	1630	1783	1978	2170	2319	2630	2930	3223	3707	52.8"
144"	1162	1332	1516	1703	1874	2050	2275	2496	2667	3024	3370	3706	4264	57.6"

NOTES

Smallest width available 7.5" exact for a manual Sheer Shade. Smallest width available 24" exact for Motorized E-Series Sheer Shade. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades greater than 96" incur an additional 94.00 charge per box for each order.

LIGHT FILTERING

SUGGESTED RETAIL PRICE

NOTE: Cord lengths are based on standards. You have the option of choosing a longer cord.

2.5" Sheer Shade - NON WOVEN | PRINTED

Light Filtering

	Height Up To	Width Up To													Loop Cord Length
		24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
↓	36"	449	500	552	603	655	708	758	813	940	1048	1154	1269	1459	14.4"
	42"	470	526	580	641	694	756	813	869	1000	1116	1231	1354	1556	14.4"
	48"	497	552	615	675	738	801	868	931	1065	1186	1314	1445	1662	19.2"
	54"	514	579	646	714	783	850	922	995	1128	1258	1401	1541	1772	19.2"
	60"	535	610	680	751	821	898	976	1053	1182	1336	1490	1639	1885	19.2"
	66"	557	635	713	789	869	950	1038	1118	1247	1418	1585	1744	2005	19.2"
	72"	580	663	745	827	914	1004	1096	1182	1314	1492	1674	1841	2117	24"
	78"	593	685	772	860	951	1047	1141	1238	1373	1566	1754	1930	2219	24"
	84"	619	713	802	903	1001	1099	1206	1303	1443	1650	1848	2033	2337	24"
	90"	644	738	836	942	1046	1157	1259	1367	1510	1728	1940	2134	2454	24"
	96"	666	770	872	981	1096	1206	1320	1429	1580	1808	2030	2233	2568	28.8"
	102"	756	869	984	1106	1220	1329	1478	1623	1732	1962	2185	2405	2765	28.8"
	108"	794	912	1033	1163	1279	1397	1553	1703	1818	2061	2299	2529	2908	28.8"
	114"	841	967	1093	1231	1362	1484	1646	1808	1930	2185	2438	2682	3083	33.6"
	120"	898	1031	1173	1316	1449	1585	1758	1930	2062	2338	2605	2865	3295	48"
132"	1033	1185	1349	1513	1666	1823	2021	2219	2372	2689	2995	3295	3790	52.8"	
144"	1187	1363	1551	1740	1916	2096	2325	2552	2727	3092	3445	3789	4358	57.6"	

SOLID TONE

Heather
Blossom
Beige
Blush
Granite
Waterfall

NOTES

Smallest width available 7.5" exact for a manual Sheerview Shade. Smallest width available 24" exact for Motorized E-Series Sheerview Shade. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades greater than 96" incur an additional 94.00 charge per box for each order.

ROOM DARKENING

SUGGESTED RETAIL PRICE

NOTE: Cord lengths are based on standards. You have the option of choosing a longer cord.

2" Sheer Shade - NON WOVEN SOLID										Smallest width available 7.5" exact a manual shade Smallest width available 24" exact for Motorized E-Series shade					
	Height Up To	Width Up To													Loop Cord Length
		24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
	36"	460	511	565	617	670	725	776	832	962	1073	1180	1299	1494	14.4"
	42"	482	538	594	656	710	774	832	889	1023	1142	1259	1386	1593	14.4"
	48"	509	565	629	691	755	820	888	953	1090	1213	1345	1479	1700	19.2"
	54"	525	593	661	731	801	871	944	1019	1153	1287	1434	1577	1814	19.2"
	60"	548	625	696	768	840	919	998	1077	1210	1367	1526	1678	1930	19.2"
	66"	570	651	730	808	889	972	1063	1144	1277	1452	1622	1785	2052	19.2"
	72"	594	678	763	846	935	1028	1122	1210	1345	1528	1713	1884	2167	24"
	78"	608	701	791	881	973	1071	1167	1268	1405	1603	1795	1975	2272	24"
	84"	633	730	821	923	1025	1126	1235	1333	1477	1688	1891	2081	2393	24"
	90"	659	755	856	964	1070	1184	1288	1398	1546	1769	1986	2184	2511	24"
	96"	682	788	892	1004	1122	1235	1350	1463	1617	1850	2078	2286	2629	28.8"
	102"	774	889	1007	1132	1249	1360	1513	1661	1772	2008	2237	2460	2829	28.8"
	108"	812	933	1057	1190	1310	1430	1589	1743	1862	2109	2353	2588	2977	28.8"
	114"	860	990	1118	1259	1394	1518	1685	1850	1975	2237	2495	2745	3157	33.6"
	120"	836	1055	1201	1347	1482	1622	1799	1975	2110	2393	2666	2933	3373	48"
	132"	961	1213	1380	1548	1705	1866	2068	2272	2427	2752	3066	3373	3879	52.8"
▼	144"	1105	1395	1587	1782	1960	2145	2379	2612	2792	3164	3526	3879	4460	57.6"

Room Darkening

SOLD TONE

Bright White
Beige
Linen
Biscuit
Corn silk
Granite
Java

3" Sheer Shade - NON WOVEN SOLID										Smallest width available 7.5" exact a manual shade Smallest width available 24" exact for Motorized E-Series shade					
	Height Up To	Width Up To													Loop Cord Length
		24"	32"	36"	42"	48"	54"	60"	66"	72"	84"	96"	108"	116"	
	36"	484	537	593	648	705	762	816	874	1011	1128	1241	1365	1570	14.4"
	42"	506	567	624	689	748	813	874	935	1076	1201	1325	1456	1676	14.4"
	48"	536	595	661	726	794	862	933	1001	1146	1276	1413	1554	1787	19.2"
	54"	553	623	694	769	842	915	992	1071	1213	1352	1508	1659	1908	19.2"
	60"	577	657	731	808	883	965	1051	1133	1271	1438	1605	1764	2029	19.2"
	66"	598	683	768	850	935	1023	1118	1203	1341	1525	1706	1876	2157	19.2"
	72"	624	714	801	890	985	1080	1178	1271	1413	1607	1800	1981	2277	24"
	78"	638	737	831	925	1024	1128	1228	1332	1477	1686	1888	2076	2388	24"
	84"	667	768	862	971	1076	1182	1298	1403	1552	1776	1989	2188	2515	24"
	90"	693	794	899	1015	1126	1245	1355	1472	1626	1860	2087	2296	2640	24"
	96"	716	828	938	1056	1178	1299	1419	1538	1701	1946	2186	2404	2765	28.8"
	102"	813	936	1060	1191	1313	1430	1590	1746	1862	2110	2351	2586	2974	28.8"
	108"	853	983	1111	1250	1377	1504	1672	1832	1957	2219	2473	2720	3129	28.8"
	114"	904	1040	1177	1325	1465	1597	1772	1945	2075	2351	2623	2885	3318	33.6"
↓	120"	966	1108	1261	1416	1559	1706	1892	2075	2219	2515	2803	3084	3546	48"
	132"	1111	1275	1450	1629	1793	1962	2176	2387	2551	2893	3223	3546	4078	52.8"
↓	144"	1278	1466	1667	1873	2062	2256	2502	2745	2934	3326	3706	4078	4690	57.6"

NOTES

Smallest width available 7.5" exact for a manual Sheer Shade. Smallest width available 24" exact for Motorized E-Series Sheer Shade. Fabric Wrapped Headrail comes standard unless asked otherwise.

Shades greater than 96" incur an additional 94.00 charge per box for each order.

PRODUCT SPECIFICATIONS AND OPERATION

Shading Operation:


- The Sheerview Horizontal Sheer Shade features the Continuous Cord-Loop System. This system provides the ability to manipulate the shading into various viewing positions. From the closed and retracted position (fabric inside the headrail), lower the fabric by pulling down on the rear of the cord until you reach the desired shading position. Once lowered completely to the window sill, continuing to pull the cord in the same direction will open the horizontal fabric vanes, offering varied views to the outside. To retract the shading, pull down on the front of the cord until the shading reaches the desired viewing mode or fabric position. Shade will not tilt open unless fully lowered.

Hardware:


- **Installation Headrail Brackets**
Multi-faceted bracket system includes breakaway shims to assist in leveling. The bracket also includes easy release lever.
- **Extension Brackets** - *Upon Request Only*
Extension or "L" brackets are available which can be used to project the back of the shading 41/4" from the mounting surface.
- **Spacer Blocks** - *Upon Request Only*
Spacer blocks project the shading 3/8" from the mounting surface. Use spacer blocks to obtain clearance when obstructions, such as window cranks or door handles, obstruct the movement of shading.
- **Hold Down Brackets** - *Upon Request Only*
Hold down brackets are made of clear plastic that fit into holes on the end-cap of the bottom rail. Hold downs are generally used to secure the base of the window shading to prevent swaying.
- **Cord Tensioner**
The cord tensioner keeps the cord taut to prevent children and pets from entangling and subsequently injuring themselves. Cord tensioner must be used for this product to comply with the Consumer Product Safety Commission (CPSC) Child Safety Guidelines.

Skew Adjusting Bottom Rail:

- The Sheerview Horizontal Sheer Shades are leveled and weighed in the factory. When installed level, the fabric will not skew when raised. If the headrail is not installed level, skewing can occur that can damage the edge of the fabric. Be sure to follow the instructions below carefully to ensure correct and balanced operation.




Simply turn over the bottom rail and twist with a flat head screw driver both stoppers on the left and right side of the counterweight slide.



Slide the bar to where the counterweight is needed to combat the shifting of the shades. Twist down with a flat head screw driver on both stoppers in order to once again lock the counterweights.

MEASURING




Inside Mount Width (IB)

- Measure the exact width of the inside edge of the window frame. - Top, Middle, and Bottom.
- Make all measurements to the nearest 1/8th inch, round DOWN for width.
- Take the SMALLEST of the 3 measurements, this is the width that you will order.
- Production department will make the necessary deductions to ensure the shade fits inside your window.




Inside Mount Height (IB)

- Measure the exact height from the top inside edge down to the window sill in 3 places. - Left, Middle, Right
- Make all measurements to the nearest 1/8th inch, round UP for height.
- Take the LARGEST of the 3 measurements, this is the height that you will order.



Outside Mount Width (OB)

- Measure the exact width of the window frame or how wide you would like the blind to be.
- Be sure to measure wide enough to cover the entire window and provide maximum light coverage.
- Example: If the window opening is 36" wide, it might be helpful to order 40" if the space allows. This will provide 2" coverage on each side of the window.
- No deductions/additions will be made to the width ordered.



Outside Mount Height (OB)

- Measure the height you would like the blind to be by measuring top to bottom.
- Be sure to measure high enough to cover the entire window and provide maximum light coverage.
- Example: If the window opening is 60" high, it might be helpful to order 64" if the space allows. This will provide 2" coverage on top and bottom of the window.
- No deductions/additions will be made to the height ordered.

MEASURING

Finished Dimensions:

- Once ordered and manufactured, the width of the fabric cannot be altered. The Manufacturer makes deductions to the width of window shadings depending on the type of mounting indicated. For all mounting types, the fabric will measure exactly the length ordered when the vanes are in the open or “view-through” position. When the vanes are rotated to the closed position, the shading will become 3/8” longer.

Measurement Considerations:

- When closed on an inside mount, a slight furrow may occur on the lowermost sheer section because of contact with the sill. To compensate, slightly raise the shading until the rail begins to lift off the window sill.
- If preferred, the shading can be ordered 3/8” less than the measured height of the window opening. In this case, the bottom rail will be positioned 3/8” above the sill when the vanes are in the open position. Rotating the vanes closed will cause the bottom rail to touch the window sill and thus closing any unwanted space.

Headrail Information:

- The Sheerview comes with a standard headrail wrapped in a *color coordinated fabric with an option of color coordinated aluminum. *Unless otherwise specified.
- *Headrail will measure ordered width minus: 1/8”
- (IB) Fabric will measure ordered width minus: 15/16” (OB) Fabric will measure ordered width minus: 13/16”

Inside Mount

Minimum depth for flush inside mount including installation brackets: 3 1/4”

Outside Mount

Minimum surface area required for mounting: 3/4”

Cord Information:

- Braided polyester cord styles will measure the height indicated below unless otherwise specified.

Shade Height	Standard Loop
12” - 36”	1’ (14.4”)
36” - 48”	1.5’ (19.2”)
48” - 72”	2’ (24”)
72” - 96”	3’ (33.6”)
96” - 120”	4’ (48”)

- Maximum Cord Heights: Polyester Cord - 15 ft.
- Cord can be ordered in custom lengths in one foot increments only.

NOTE:

- Customer can specify custom cord length.
- Following the WCMA National Safety Standards, all cords will be made 40% of the length of the shade unless otherwise specified.

THE IMPORTANCE OF ORDERING CORRECTLY FROM THE MANUFACTURER

Place your order correctly with the manufacturer can decrease the need for remakes, refunds or returns.

Important Ordering Information:

- You must include ACCURATE measurements for the width and height (to the nearest 1/8") of the product
- You must specify IB or OB mounting required of the product
- You must include the color name, and color number
- You must include Position Control - RIGHT or LEFT

Fabric Style & Color Selection:

Woven and Non Woven fabrics come in Light filtering and Room Darkening. Choose from the color available.

Example Color Number: **S50PN100D**

- | | | | |
|------------------|-------|--|--|
| • 2" | - S50 | | |
| 2.5" | - S65 | | |
| 3" | - S70 | | |
| • Non Woven | - PN | | |
| Woven | - KN | | |
| • Color # | - 100 | | |
| • Room Darkening | - D | | |

REMAKES: We understand mistakes happen and typically your per-negotiated Oops discount may apply.

REFUNDS: Refunds may be issued at the manufactures discretion.

RETURNS: Dealer must contact the manufacturer directly to obtain and return authorization.

To Find Your Cost:

Height Up To	Width Up To					
	24"	32"	36"	42"	48"	54"
36"	410	457	504	550	599	647
42"	429	480	530	585	634	690
48"	455	504	562	616	674	731
54"	469	529	589	652	715	777
60"	489	557	621	686	750	820
66"	508	580	651	720	794	867
72"	530	606	680	755	835	917

MANUFACTURES TERMS AND CONDITIONS

- Catalog prices (USD) and product specifications are subject to change without notice.
- Terms are 30 days from shipment
- A 1.5% per month service charge will be applied to all past due balances
- All materials are subject to dye lot variations
- Manufacturer will not assume responsibility for any color mismatch after subsequent orders
- There is a \$40.00 charge for any returned checks
- For any product the manufacturer performs warranty service on, transportation charges are not included in warranty
- State Tax Exemption Certificates must be provided and on file for tax exempt sales production
- There will be a nominal service charge for changes or cancellations made after production has started
- The manufacturer is not responsible for printing or typographical errors within the catalog, website or other published information
- Manufacturer currently ships with most major carriers
- Following the WCMA National Safety Standards, all cords will be made 40% of the length of the product. The manufacturer suggests all cords to be permanently anchored to keep children and pets safe
- Returns must have an RGA Number and be approved
- Claims for merchandise shortages, damages or discrepancies must be made within 10 days of the receipt of goods
- These Fabric Blinds are custom made and cannot be canceled once the order has been put into



WARRANTY

This Limited Lifetime Warranty program is available to consumers who have purchased blinds and shades by (The Manufacturer). This applies to Fabric Horizontal Blinds, Sheer Shades, Roman Shades, Cellular Shades, Pleated Shades, and painted or stained valances.

What the Warranty Covers

The manufactured product is warranted against original defects in materials, workmanship, or failure to operate for as long as the **original** purchaser owns the product (unless shorter time periods are provided below) on the conditions that;

- The product was properly installed in a residential or commercial property
- The product was made or assembled exclusively from The Manufacturer's materials and components
- The Manufacturer's recommendations were followed regarding limitations and specifications
- The Manufacturer's componentry is covered for 5 years
- The Manufacturer's motorized components are covered for 5 years

Who is Covered

This warranty extends only the ORIGINAL purchaser of the above stated products.

The Manufacturer's obligations to the Consumer are limited to the repair or replacement of parts or products found to be defective. The Manufacturer is not responsible for shipping charges or labor costs, for measuring and taking the product down or for remeasuring or reinstalling the product.

If repairs are made under this warranty, the repairs will be made with like or similar parts.

What the Warranty Does Not Cover

This warranty does not cover conditions or damages caused by abuse, accidents, alterations, misuse, or failure to follow instructions for measurement, installation, use, cleaning, or maintenance. Normal wear and tear, including but not limited to the items or occurrences below, are not covered by the warranty.

- Batteries.
- Unfinished cornices.
- All fabrics can lose original intensity after long exposure to the sun. When left for extended periods in direct sunlight, plastics tend to yellow or crack. Some loss of color intensity or discoloration may occur in plastic materials or wood finishes.
- Colors may vary from lot to lot and may not exactly match samples of previous purchases.
- All cords will eventually wear out.

The Manufacturer considers these items or occurrences normal wear and tear, and they are not covered by this warranty. THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ALL OTHER WRITTEN OR ORAL WARRANTIES OR OBLIGATIONS AND LIABILITIES. No person is authorized to extend or alter this warranty. THE MANUFACTURER SHALL HAVE NO LIABILITY WHATSOEVER FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some states do not allow the exclusion or limitation of incidental or consequential damages, so this limitation or exclusion may not apply to you.

Effective February 7th 2019



ORDER FORM

Lantex Window Fashions
609 Interchange Blvd.
Newark, Delaware 19711
1-844-516-0996

COPY THIS PAGE

ALL INFORMATION RECEIVED WILL BE HANDLED CONFIDENTIALLY.

PLEASE EMAIL TO: CustomerService@LantexUSA.com FAX TO: **888-422-6854**

BILL TO:	SHIP TO:	SAME AS BILL TO <input type="checkbox"/>
Company: _____	Company: _____	
Street: _____	Street: _____	
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____	
Country: _____	Country: _____	
Telephone: _____ Fax: _____	Telephone: _____ Fax: _____	

To order an  product please contact Customer Service at CustomerService@lantexusa.com or call at 1-844-516-0996

SHEERVUE

NOTE: IB: The factory will deduct 1/8 - 3/16" off the total width. OB: The factory will make the product to the exact measurements provided.

P.O. NUMBER: _____ SIDE MARK: _____

1	Qty.	IB/OB	Width	Height	2"	2.5"	3"	Color #	Color Name	L/R Cord-Loop
Headrail Option:		Cloth <input type="checkbox"/> Metal <input type="checkbox"/>	Room Name: _____ Window Name: _____				Special Note: _____			
2	Qty.	IB/OB	Width	Height	2"	2.5"	3"	Color #	Color Name	L/R Cord-Loop
Headrail Option:		Cloth <input type="checkbox"/> Metal <input type="checkbox"/>	Room Name: _____ Window Name: _____				Special Note: _____			
3	Qty.	IB/OB	Width	Height	2"	2.5"	3"	Color #	Color Name	L/R Cord-Loop
Headrail Option:		Cloth <input type="checkbox"/> Metal <input type="checkbox"/>	Room Name: _____ Window Name: _____				Special Note: _____			
4	Qty.	IB/OB	Width	Height	2"	2.5"	3"	Color #	Color Name	L/R Cord-Loop
Headrail Option:		Cloth <input type="checkbox"/> Metal <input type="checkbox"/>	Room Name: _____ Window Name: _____				Special Note: _____			
5	Qty.	IB/OB	Width	Height	2"	2.5"	3"	Color #	Color Name	L/R Cord-Loop
Headrail Option:		Cloth <input type="checkbox"/> Metal <input type="checkbox"/>	Room Name: _____ Window Name: _____				Special Note: _____			

SHEERVUEW

HORIZONTAL SHEER SHADE



Registered Trademark (®)